

Internalization and toxicological mechanisms of uncoated and PVP-coated cerium oxide nanoparticles in the freshwater alga *Chlamydomonas reinhardtii*

Pulido-Reyes, Gerardo; Briffa, Sophie Marie; Hurtado-Gallego, Jara; Yudina, Tetyana; Leganés, Francisco; Puentes, Victor; Valsami-Jones, Eva; Rosal, Roberto; Fernández-Piñas, Francisca

DOI:

[10.1039/C9EN00363K](https://doi.org/10.1039/C9EN00363K)

License:

None: All rights reserved

Document Version

Peer reviewed version

Citation for published version (Harvard):

Pulido-Reyes, G, Briffa, SM, Hurtado-Gallego, J, Yudina, T, Leganés, F, Puentes, V, Valsami-Jones, E, Rosal, R & Fernández-Piñas, F 2019, 'Internalization and toxicological mechanisms of uncoated and PVP-coated cerium oxide nanoparticles in the freshwater alga *Chlamydomonas reinhardtii*', *Environmental Science: Nano*, vol. 2019, no. 6, pp. 1959-1972 . <https://doi.org/10.1039/C9EN00363K>

[Link to publication on Research at Birmingham portal](#)

Publisher Rights Statement:

Checked for eligibility: 08/08/2019

This document is the Author Accepted Manuscript version of a published work which appears in its final form in *Environmental Science: Nano*, copyright © The Royal Society of Chemistry 2019. The final Version of Record can be found at: <http://doi.org/10.1039/c9en00363k>

General rights

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

- Users may freely distribute the URL that is used to identify this publication.
- Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.
- User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?)
- Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact UBIRA@lists.bham.ac.uk providing details and we will remove access to the work immediately and investigate.

Electronic Supplementary Information (ESI)




Figure S1. TEM images and EDX spectra of *C. reinhardtii* cells before (left column) and after (right column) the application of EDTA washing steps.




Figure S2. Characterization of the non-coated and coated CeO₂NPs used in this work. TEM image of CeO₂NP (A – scale bar: 50 nm), CeO₂NP10 (B), CeO₂NP40 (C) and CeO₂NP360 (D). UV-vis absorbance spectrum of CeO₂NP, CeO₂NP10, CeO₂NP40 and CeO₂NP360 is shown in E, F, G and H, respectively. XRD spectra of the CeO₂NP showing the characteristics peaks of CeO₂ crystals is shown in I (there was no good XRD data for PVP-coated nanoparticles due to the external presence of PVP as capping agent). Section J shows the nominal size and percentage of surface Ce³⁺/Ce⁴⁺ of CeO₂NPs calculated by X-Ray photoelectron spectroscopy. TEM and UV-Vis spectra of PVP-coated CeO₂NPs are reproduced from Briffa *et al* (2017) with permission from the Royal Society of Chemistry. Additional characterization of these NPs can be also found in the cited reference.




Figure S3. The biological effect of 72 h exposure to the three PVP used to synthesize the different CeO₂NPs on the growth of *C. reinhardtii*. Data are expressed as percentages of the value of untreated cells (mean \pm standard deviation).




Figure S4. The biological effect of 72 h exposure to TMAOH used to stabilize the uncoated CeO₂NPs on the growth of *C. reinhardtii*. Data are expressed as percentages of the value of untreated cells (mean \pm standard deviation).




Figure S5. The biological effect of 0.1 mg/L of CeO₂NP, CeO₂NP10, CeO₂NP40 and CeO₂NP360 on cell membrane integrity (A), cytoplasmic membrane potential (B) and metabolic activity (C) of *C. reinhardtii*.




Figure S6. Effect of 0.1 mg/L of CeO₂NPs on intracellular superoxide anion and hydrogen peroxide levels of *C. reinhardtii* by FCM using the fluorochrome HE (A) and DHR123 (B), respectively. Alterations derived of oxidative stress in mitochondria and intracellular lipid peroxidation are also shown in (C) and (D), respectively.




Figure S7. The effect of TMAOH (compound used to stabilize uncoated CeO₂NPs) at 0.1 mM (B), 1 mM (C) and 2.5 mM (D) on the cell membrane integrity of *C. reinhardtii*. A: control cells without TMAOH.




Figure S8. The effect of the different endocytic inhibitors towards chlorophyll *a* fluorescence of *C. reinhardtii*. CT: control. MDC: monodansylcadaverine. EIPA: 5-(N-ethyl-N-isopropyl)-amiloride. NaN₃: Sodium azide.




Figure S9. The level of reduction of intracellular CeO₂NPs after the treatment with the MDC inhibitor. Data are expressed as percentage of reduction in comparison with CNPs samples without inhibitor (mean ± standard deviation).




Figure S10. Effect of CeO_2NPs on expression of *CHC1* gene after 4 h of exposure. Data are represented as relative expression of the genes with respect to the unexposed control. Control values were set to 1 for easy comparison.

Table S1: Fluorochromes used to analyze several physiological parameters of *C. reinhardtii* by flow cytometry.

Fluorochrome	Acronym	Applications	Stock concentration (mg mL ⁻¹)	Final concentration (µg mL ⁻¹)	Incubation time (min)
Dihydrorhodamine123	DHR 123	Intracellular levels of hydrogen peroxide	2	10	40
Hydroethidine	HE	Intracellular levels of superoxide anion	3.154	5	30
Propidium iodide	IP	Membrane integrity	1	5	10
Fluorescein Diacetate	FDA	Unspecific esterase activity	5	2.5	15
bis-(1,3-dibutylbarbituric acid) trimethine oxonol	DiBAC₄(3)	Cytoplasmic membrane potential	0.5	2.5	10
5-Butyl-4,4-Difluoro-4-Bora-3a,4a-Diaza-s-Indacene-3-Nonanoic Acid	BODIPY- C4-C9	Lipid peroxidation	101.08	0.01	10
MitoTracker® Orange CM-H2TMRos	Mitotracker	Mitochondrial ROS homeostasis	0.05	2.5	60

References

Briffa, S. M., Lynch, I., Trouillet, V., Bruns, M., Hapiuk, D., Liu, J., ... & Valsami-Jones, E. (2017). Development of scalable and versatile nanomaterial libraries for nanosafety studies: polyvinylpyrrolidone (PVP) capped metal oxide nanoparticles. *RSC Advances*, 7(7), 3894-3906.